

Package ‘LARisk’

January 20, 2025

Type Package

Title Estimation of Lifetime Attributable Risk of Cancer from
Radiation Exposure

Version 1.0.0

Maintainer Juhee Lee <1jh988488@gmail.com>

Description Compute lifetime attributable risk of
radiation-induced cancer reveals that it can be helpful with
enhancement of the flexibility in research with fast calculation
and various options. Important reference papers include
Berrington de Gonzalez et al. (2012) <[doi:10.1088/0952-4746/32/3/205](https://doi.org/10.1088/0952-4746/32/3/205)>,
National Research Council (2006, ISBN:978-0-309-09156-5).

License LGPL-3

Imports Rcpp (>= 1.0.0), dplyr (>= 1.0.0)

LinkingTo Rcpp

Encoding UTF-8

LazyData true

Suggests rmarkdown, knitr, testthat (>= 3.0.0)

VignetteBuilder knitr

RoxygenNote 7.1.2

Depends R (>= 2.10)

Config/testthat/edition 3

NeedsCompilation yes

Author Juhee Lee [aut, cre],
Young-Min Kim [aut],
YeongWoo Park [aut],
Eunjin Jang [aut],
Jinkyung Yoo [aut],
Songwon Seo [ctb],
Eun-Shil Cha [ctb],
Won-Jin Lee [ctb]

Repository CRAN

Date/Publication 2022-02-07 01:20:08 UTC

Contents

<i>incid2010</i>	2
<i>incid2018</i>	3
<i>LAR</i>	3
<i>LAR_batch</i>	6
<i>LAR_group</i>	7
<i>life2010</i>	9
<i>life2018</i>	9
<i>nuclear</i>	10
<i>organ</i>	10
<i>print.LAR</i>	11
<i>summary.LAR</i>	12
<i>write_LAR</i>	12

Index	14
--------------	-----------

incid2010

Cancer incidence table of Korea 2010

Description

A dataset containing the crude incidence rate of death by age, cancer site and gender.

Usage

incid2010

Format

A data frame with 1919 rows and 4 variables:

Site cancer site

Age age

Rate_m crude incidence rate for male

Rate_f crude incidence rate for female

Source

KOSIS(Ministry of Health and Welfare, Cancer Registration Statistics) <https://kosis.kr/>

`incid2018`*Cancer incidence table of Korea 2018*

Description

A dataset containing the crude incidence rate of death by age, cancer site and gender.

Usage`incid2018`**Format**

A data frame with 1919 rows and 4 variables:

Site cancer site
Age age
Rate_m crude incidence rate for male
Rate_f crude incidence rate for female

Source

KOSIS(Ministry of Health and Welfare, Cancer Registration Statistics) <https://kosis.kr/>

`LAR`*Estimate Lifetime Attributable Risk for one person*

Description

LAR is used to estimate lifetime attributable radiation-related cancer risk for data with one person.

Usage

```
LAR(  
  data,  
  basedata,  
  sim = 300,  
  seed = 99,  
  current = as.numeric(substr(Sys.Date(), 1, 4)),  
  ci = 0.9,  
  weight = NULL,  
  DDREF = TRUE,  
  basepy = 1e+05  
)
```

Arguments

data	data frame containing demographic information and exposure information. See 'Details'.
basedata	a list of the data of lifetime table and incidence rate table. The first element is lifetime table and the second is incidence rate table.
sim	number of iteration of simulation.
seed	a random seed number.
current	a current year. default is year of the system time.
ci	confidence level of the confidence interval.
weight	a list containing the value between 0 and 1 which is a weight on ERR model. See 'Details'.
DDREF	logical. Whether to apply the dose and dose-rate effectiveness factor.
basepy	number of base person-years

Details

The maximum age in LAR is set as 100. If the data contains birth which makes attained age (=current - birth) exceed 100, the result has no useful value.

data should include information which includes gender, year of birth, year of exposure, sites where exposed, exposure rate, distribution of dose and dose parameters of exposed radiation. The name of each variables must be sex, birth, exposure, site, exposure_rate, dosedist, dose1, dose2, dose3.

For some variables, there is a fixed format. sex can have the component 'male' or 'female'. site can have the component 'stomach', 'colon', 'liver', 'lung', 'breast', 'ovary', 'uterus', 'prostate', 'bladder', 'brain/cns', 'thyroid', 'remainder', 'oral', 'oesophagus', 'rectum', 'gallbladder', 'pancreas', 'kidney', 'leukemia'. exposure_rate can have the component 'acute' or 'chronic'. dosedist can have the component 'fixedvalue', 'lognormal', 'normal', 'triangular', 'logtriangular', 'uniform', 'loguniform'.

dose1, dose2, dose3 are parameters of dose distribution. The parameters for each distribution are that:

fixedvalue dose value (dose1)

lognormal median (dose1), geometric standard deviation (dose2)

normal mean (dose1), standard deviation (dose2)

triangular or logtriangular minimum (dose1), mode (dose2), maximum (dose3)

uniform or loguniform minimum (dose1), maximum (dose2)

weight

Value

LAR returns an object of "LAR" class.

An object of class "LAR" is a list containing the following components:

LAR Lifetime attributable risk (LAR) from the time of exposure to the end of the expected lifetime.

`F_LAR` Future attributable risk from current to the expected lifetime.

`LBK` Lifetime baseline risk.

`BFR` Baseline future risk.

`LFR` Lifetime fractional risk.

`TFR` Total future risk.

`current` Current year.

`ci` Confidence level.

`pinfo` Information of the person.

References

Berrington de Gonzalez, A., Iulian Apostoaei, A., Veiga, L., Rajaraman, P., Thomas, B., Owen Hoffman, F., Gilbert, E. and Land, C. (2012). RadRAT: a radiation risk assessment tool for lifetime cancer risk projection. *Journal of Radiological Protection*, **32(3)**, pp.205-222.

National Research Council (NRC) and Committee to Assess Health Risks from Exposure to Low Levels of Ionizing Radiation (2005) *Health Risks from Exposure to Low Levels of Ionizing Radiation: BEIR VII Phase 2* (Washington, DC: National Academy of Sciences)

See Also

[LAR_batch](#), [LAR_group](#)

Examples

```
## example with lifetime and incidence rate table in 2010 Korea.
organ2 <- split(organ, organ$ID)[[1]] ## data of one person.

## defualt
lar1 <- LAR(organ2, basedata = list(life2010, incid2010))
summary(lar1)

## change the weight for ERR and EAR models
weight_list <- list("rectum" = 0.5)
lar2 <- LAR(organ2, basedata = list(life2010, incid2010), weight = weight_list)
summary(lar2)

## change the DDREF option (DDREF=FALSE)
lar3 <- LAR(organ2, basedata = list(life2010, incid2010), DDREF = FALSE)
summary(lar3)
```

LAR_batch*Estimate Lifetime Attributable Risk for several people*

Description

`LAR_batch` is used to estimate lifetime attributable radiation-related cancer risk for data with several people.

Usage

```
LAR_batch(
  data,
  pid,
  basedata,
  sim = 300,
  seed = 99,
  current = as.numeric(substr(Sys.Date(), 1, 4)),
  ci = 0.9,
  weight = NULL,
  DDREF = TRUE,
  basepy = 1e+05
)
```

Arguments

<code>data</code>	data frame containing demographic information and exposure information. See 'Details'.
<code>pid</code>	a vector which distinguish each person.
<code>basedata</code>	a list of the data of lifetime table and incidence rate table. The first element is lifetime table and the second is incidence rate table.
<code>sim</code>	number of iteration of simulation.
<code>seed</code>	a random seed number.
<code>current</code>	a current year. default is year of the system time.
<code>ci</code>	confidence level of the confidence interval.
<code>weight</code>	a list containing the value between 0 and 1 which is a weight on ERR model. See 'Details'.
<code>DDREF</code>	logical. Whether to apply the dose and dose-rate effectiveness factor.
<code>basepy</code>	number of base person-years

Value

`LAR_batch` returns an object of multiple classes "LAR_batch", "LAR". An object of class `LAR_batch` is a list of LAR class objects which names of elements are ID of each person.

References

- Berrington de Gonzalez, A., Iulian Apostoaei, A., Veiga, L., Rajaraman, P., Thomas, B., Owen Hoffman, F., Gilbert, E. and Land, C. (2012). RadRAT: a radiation risk assessment tool for lifetime cancer risk projection. *Journal of Radiological Protection*, **32(3)**, pp.205-222.
- National Research Council (NRC) and Committee to Assess Health Risks from Exposure to Low Levels of Ionizing Radiation (2005) *Health Risks from Exposure to Low Levels of Ionizing Radiation: BEIR VII Phase 2* (Washington, DC: National Academy of Sciences)

See Also

[LAR](#), [LAR_group](#)

Examples

```
## example with lifetime and incidence rate table in 2010 Korea.
lar1 <- LAR_batch(nuclear, pid=nuclear$ID, basedata = list(life2010, incid2010))
summary(lar1)
```

LAR_group

Average Estimated Lifetime Attributable Risk by Group

Description

LAR_group is used to estimate lifetime attributable radiation-related cancer risk by group.

Usage

```
LAR_group(
  data,
  pid,
  group,
  basedata,
  sim = 300,
  seed = 99,
  current = as.numeric(substr(Sys.Date(), 1, 4)),
  ci = 0.9,
  weight = NULL,
  DDREF = TRUE,
  basepy = 1e+05
)
```

Arguments

data	data frame containing demographic information and exposure information. See 'Details'.
pid	a vector which distinguish each person.
group	a vector or list of vectors which distinguish each group.
basedata	a list of the data of lifetime table and incidence rate table. The first element is lifetime table and the second is incidence rate table.
sim	number of iteration of simulation.
seed	a random seed number.
current	a current year. default is year of the system time.
ci	confidence level of the confidence interval.
weight	a list containing the value between 0 and 1 which is a weight on ERR model. See 'Details'.
DDREF	logical. Whether to apply the dose and dose-rate effectiveness factor.
basepy	number of base person-years

Value

LAR_group returns an object of multiple classes "LAR_group", "LAR". An object of class LAR_group is a list of LAR class objects which names of elements are group of each groups.

References

Berrington de Gonzalez, A., Iulian Apostoaei, A., Veiga, L., Rajaraman, P., Thomas, B., Owen Hoffman, F., Gilbert, E. and Land, C. (2012). RadRAT: a radiation risk assessment tool for lifetime cancer risk projection. *Journal of Radiological Protection*, **32(3)**, pp.205-222.

National Research Council (NRC) and Committee to Assess Health Risks from Exposure to Low Levels of Ionizing Radiation (2005) *Health Risks from Exposure to Low Levels of Ionizing Radiation: BEIR VII Phase 2* (Washington, DC: National Academy of Sciences)

Examples

```
## example with lifetime and incidence rate table in 2010 Korea.
lar1 <- LAR_group(nuclear, pid=nuclear$ID, group=nuclear$distance,
                     basedata = list(life2010, incid2010))
summary(lar1)

lar2 <- LAR_group(nuclear, pid=nuclear$ID, group=list(nuclear$sex, nuclear$distance),
                     basedata = list(life2010, incid2010))
summary(lar2)
```

life2010

Lifetime table of Korea 2010

Description

A dataset containing the probability of death by age and gender.

Usage

life2010

Format

A data frame with 101 rows and 3 variables:

Age age

Prob_d_m probability of death for male

Prob_d_f probability of death for female

Source

KOSIS(Statistics Korea, Life Tables By Province) <https://kosis.kr/>

life2018

Lifetime table of Korea 2018

Description

A dataset containing the probability of death by age and gender.

Usage

life2018

Format

A data frame with 101 rows and 3 variables:

Age age

Prob_d_m probability of death for male

Prob_d_f probability of death for female

Source

KOSIS(Statistics Korea, Life Tables By Province) <https://kosis.kr/>

nuclear

*Simulated data of organ radiation exposure dose***Description**

nuclear is simulated dataset for acute exposure event. The scenario assumes that the people exposure the radiation at 2011.

Usage

nuclear

Format

A data frame with 100 observation of 11 variables:

```
ID person ID.  
sex gender  
birth birth-year  
exposure exposed year to radiation  
site organ where exposed to radiation  
exposure_rate exposure rate  
dosedist distribution of dose  
dose1 dose parameter  
dose2 dose parameter  
dose3 dose parameter  
distance distance from the hyper
```

organ

*Simulated data of organ radiation exposure dose***Description**

organ is simulated dataset from the data of workers at interventional radiology departments.

Usage

organ

Format

A data frame with 971 observation of 11 variables:

```
ID person ID.  
sex gender  
birth birth-year  
exposure exposed year to radiation  
site organ where exposed to radiation  
exposure_rate exposure rate  
dosedist distribution of dose  
dose1 dose parameter  
dose2 dose parameter  
dose3 dose parameter  
occup occupation
```

References

Lee, W. J., Bang, Y. J., Cha, E. S., Kim, Y. M., & Cho, S. B. (2021). Lifetime cancer risks from occupational radiation exposure among workers at interventional radiology departments. *International Archives of Occupational and Environmental Health*, **94(1)**, 139-145.

`print.LAR`

Print estimated Lifetime Attributable Risk for one person

Description

`print.LAR` is the basic function for printing class "LAR".

Usage

```
## S3 method for class 'LAR'  
print(x, digits = 4, ...)  
  
## S3 method for class 'LAR_batch'  
print(x, digits = 4, max.id = 50, ...)  
  
## S3 method for class 'LAR_group'  
print(x, digits = 4, max.id = 50, ...)
```

Arguments

<code>x</code>	'LAR', 'LAR_batch' or 'LAR_group' object.
<code>digits</code>	the number of decimal points to print.
<code>...</code>	further arguments to be passed from or to other methods.
<code>max.id</code>	the number of maximum of printing LAR results.

`summary.LAR`*Summarize estimated Lifetime Attributable Risk for one person***Description**

`summary.LAR` is the function for printing class "LAR".

Usage

```
## S3 method for class 'LAR'
summary(object, digits = 4, ...)

## S3 method for class 'LAR_batch'
summary(object, digits = 4, max.id = 50, ...)

## S3 method for class 'LAR_group'
summary(object, digits = 4, max.id = 50, ...)
```

Arguments

<code>object</code>	object of class 'LAR_batch' or LAR'.
<code>digits</code>	the number of decimal points to print.
<code>...</code>	further arguments to be passed from or to other methods.
<code>max.id</code>	the number of maximum of printing LAR results.

`write_LAR`*Write a LAR object***Description**

Write 'LAR' object to CSV file

Usage

```
write_LAR(x, filename)

## S3 method for class 'LAR'
write_LAR(x, filename)

## S3 method for class 'LAR_batch'
write_LAR(x, filename)

## S3 method for class 'LAR_group'
write_LAR(x, filename)
```

Arguments

x	a 'LAR' object.
filename	a string naming the file to save (.csv file)

Methods (by class)

- LAR: write an 'LAR' class object
- LAR_batch: write an 'LAR_batch' class object
- LAR_group: write an 'LAR_group' class object

Index

- * **datasets**
 - incid2010, [2](#)
 - incid2018, [3](#)
 - life2010, [9](#)
 - life2018, [9](#)
 - nuclear, [10](#)
 - organ, [10](#)
- incid2010, [2](#)
- incid2018, [3](#)
- LAR, [3](#), [7](#)
- LAR_batch, [5](#), [6](#)
- LAR_group, [5](#), [7](#), [7](#)
- life2010, [9](#)
- life2018, [9](#)
- nuclear, [10](#)
- organ, [10](#)
- print.LAR, [11](#)
- print.LAR_batch (print.LAR), [11](#)
- print.LAR_group (print.LAR), [11](#)
- summary.LAR, [12](#)
- summary.LAR_batch (summary.LAR), [12](#)
- summary.LAR_group (summary.LAR), [12](#)
- write_LAR, [12](#)