

Package ‘PoSIAdjRSquared’

July 4, 2025

Title Post-Selection Inference for Adjusted R Squared

Version 0.1.0

Maintainer Sarah Pirenne <sarah.pirenne@kuleuven.be>

Description Conduct post-selection inference for regression coefficients in linear models after they have been selected by adjusted R squared. The p-values and confidence intervals are valid after model selection with the same data. This allows the user to use all data for both model selection and inference without losing control over the type I error rate. The provided tests are more powerful than data splitting, which bases inference on less data since it discards all information used for selection.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports lmf, stats, utils, VGAM

NeedsCompilation no

Author Sarah Pirenne [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-1787-2035>>),
Gerda Claeskens [aut]

Repository CRAN

Date/Publication 2025-07-04 14:50:02 UTC

Contents

compute_ci_with_specified_interval	2
construct_adj_r_squared	3
construct_selection_event	4
construct_test_statistic	5
datagen.norm	6
datagen.norm.intercept	7
equal_tailed_interval	8
f	9
find_root	10
fit_all_subset_linear_models	11

fit_specified_size_subset_linear_models	12
pivot_with_specified_interval	13
postsel_p_value_specified_interval	14
selective_inference	16
solve_selection_event	17
Index	19

compute_ci_with_specified_interval
<i>Compute post-selection confidence interval with specified interval</i>

Description

This function inverts a post-selection p-value to a confidence interval.

Usage

```
compute_ci_with_specified_interval(z_interval,etaj,etajTy,Sigma,tn_mu,alpha)
```

Arguments

z_interval	The intervals of type "list" where the OLS estimator gets selected: can be obtained from function "solve_selection_event"
etaj	Vector of type "matrix" and dimension nx1: useful in orthogonal decomposition of y (see Lemma 1 for details)
etajTy	The OLS estimator of the j'th selected coefficient in the selected model of type "matrix" and dimension 1x1
Sigma	The variance covariance matrix of dimension nxn of the error in the model
tn_mu	Integer for the mean of the truncated sampling distribution of the test statistic under the null hypothesis: for example, if you want to test $\beta_j=0$, specify 0 for the mean
alpha	Integer for the desired significance level of the confidence interval

Value

ci	The two-sided (1-alpha)% confidence interval valid after model selection
----	--

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```

# Generate data
n <- 100
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

# Select model
result <- fit_all_subset_linear_models(y, X, intercept=FALSE)
phat <- result$phat
X_M_phat <- result$X_M_phat
k <- result$k
R_M_phat <- result$R_M_phat
kappa_M_phat <- result$kappa_M_phat
R_M_k <- result$R_M_k
kappa_M_k <- result$kappa_M_k

# Estimate Sigma from residuals of full model
full_model <- lm(y ~ 0 + X)
sigma_hat <- sd(resid(full_model))
Sigma <- diag(n)*(sigma_hat)^2

# Construct test statistic
Construct_test <- construct_test_statistic(j = 5, X_M_phat, y, phat, Sigma, intercept=FALSE)
a <- Construct_test$a
b <- Construct_test$b
etaj <- Construct_test$etaj
etajTy <- Construct_test$etajTy

# Solve selection event
Solve <- solve_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat,k)
z_interval <- Solve$z_interval

# Post-selection confidence interval
compute_ci_with_specified_interval(z_interval, etaj, etajTy, Sigma, tn_mu = 0, alpha = 0.05)

```

construct_adj_r_squared

Construct adjusted R squared

Description

This function computes the adjusted R squared and returns some useful matrices from this computation.

Usage

```
construct_adj_r_squared(X, k, y, n, intercept = c(TRUE, FALSE), sst)
```

Arguments

X	Design matrix of type "matrix" and dimension nxp
k	Index set included in model k
y	Response vector of type "matrix" and dimension nx1
n	An integer for the sample size
intercept	Logical value: TRUE if fitted models should contain intercept, FALSE if not
sst	An integer for the total sum of squares

Value

X_M_k	The design matrix of model k
P_M_k	The projection matrix of model k
R_M_k	The orthogonal projection matrix of model k
kappa_M_k	Adjustment factor for model complexity kappa of model k
adj_r_squared	The adjusted R squared value of model k

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
n <- 100
k <- 1:10
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y
sst <- sum((y-mean(y))^2)

construct_adj_r_squared(X, k, y, n, intercept=FALSE, sst)
```

construct_selection_event

Construct selection event

Description

This function constructs the selection event by computing c_k , d_k and e_k which are the constants in the quadratic inequalities which characterize the model selection event. The function is used internally by the function `solve_selection_event`, which returns the intervals of the OLS estimator where the selection event takes place.

Usage

```
construct_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat)
```

Arguments

a	Residual vector of type "matrix" and dimension nx1 (see Lemma 1 for details)
b	Vector of type "matrix" and dimension nx1: useful in orthogonal decomposition of y (see Lemma 1 for details)
R_M_k	The orthogonal projection matrix of model k
kappa_M_k	Adjustment factor for model complexity kappa of model k
R_M_phat	The orthogonal projection matrix of the selected model
kappa_M_phat	Adjustment factor for model complexity kappa of the selected model

Value

c_k	Constant c_k in the quadratic inequality $c_k Z^2 + d_k Z + e_k \geq 0$ which characterizes the model selection event of the selected model compared to model k (see Lemma 1 for details)
d_k	Constant d_k in the quadratic inequality $c_k Z^2 + d_k Z + e_k \geq 0$ which characterizes the model selection event of the selected model compared to model k (see Lemma 1 for details)
e_k	Constant e_k in the quadratic inequality $c_k Z^2 + d_k Z + e_k \geq 0$ which characterizes the model selection event of the selected model compared to model k (see Lemma 1 for details)

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

construct_test_statistic
<i>Construct test statistic</i>

Description

This function constructs the OLS estimator of the j'th selected coefficient in the selected model. The functions also returns some useful vectors for post-selection inference (a and b).

Usage

```
construct_test_statistic(j, X_M_phat, y, phat, Sigma, intercept)
```

Arguments

j	The index of type "integer" of the regression coefficient
X_M_phat	The design matrix in the selected model
y	Response vector of type "matrix" and dimension nx1
phat	Index set included in the selected model
Sigma	The variance covariance matrix of dimension nxn of the error in the model
intercept	Logical value: TRUE if the selected model contains an intercept, FALSE if not

Value

etaj	Vector of type "matrix" and dimension nx1: useful in orthogonal decomposition of y (see Lemma 1 for details)
etajTy	The OLS estimator of the j'th selected coefficient in the selected model of type "matrix" and dimension 1x1
a	Residual vector of type "matrix" and dimension nx1 (see Lemma 1 for details)
b	Vector of type "matrix" and dimension nx1: useful in orthogonal decomposition of y (see Lemma 1 for details)

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
n <- 100
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

# Select model
result <- fit_all_subset_linear_models(y, X, intercept=FALSE)
phat <- result$phat
X_M_phat <- result$X_M_phat

# Estimate Sigma from residuals of full model
full_model <- lm(y ~ 0 + X)
sigma_hat <- sd(resid(full_model))
Sigma <- diag(n)*(sigma_hat)^2

# Construct test statistic
construct_test_statistic(j = 5, X_M_phat, y, phat, Sigma, intercept=FALSE)
```

<code>datagen.norm</code>	<i>Data generation normal</i>
---------------------------	-------------------------------

Description

Function to generate data according to the linear model of the form $Y = X \cdot \beta + \epsilon$ where the noise ϵ follows a standard normal distribution.

Usage

```
datagen.norm(seed, n, p, rho, beta_vec)
```

Arguments

seed	Integer for seed
n	Integer for sample size
p	Integer for number of variables in the design matrix
rho	Integer for correlation between variables in the design matrix
beta_vec	True regression coefficient vector of length p

Value

X	Design matrix of type "matrix" and dimension nxp
y	Response vector of type "matrix" and dimension nx1
true_y	True response vector, i.e. without the noise, of type "matrix" and dimension nx1

Examples

```
datagen.norm(seed = 7, n = 100, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
```

```
datagen.norm.intercept
```

Data generation normal with intercept

Description

Function to generate data according to the linear model of the form $Y = X \cdot \beta + \epsilon$ where the noise ϵ follows a standard normal distribution and the first column of X consists of 1's such that an intercept is included in the model.

Usage

```
datagen.norm.intercept(seed, n, p, rho, beta_vec)
```

Arguments

seed	Integer for seed
n	Integer for sample size
p	Integer for number of variables in the design matrix
rho	Integer for correlation between variables in the design matrix
beta_vec	True regression coefficient vector of length p

Value

X	Design matrix of type "matrix" and dimension nxp
y	Response vector of type "matrix" and dimension nx1
true_y	True response vector, i.e. without the noise, of type "matrix" and dimension nx1

Examples

```
datagen.norm.intercept(seed = 7, n = 100, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
```

equal_tailed_interval	<i>Equal tailed interval</i>
-----------------------	------------------------------

Description

This function inverts a post-selection p-value to a confidence interval.

Usage

```
equal_tailed_interval(z_interval, etajTy, alpha, tn_mu, tn_sigma)
```

Arguments

z_interval	The intervals of type "list" where the OLS estimator gets selected: can be obtained from function "solve_selection_event"
etajTy	The OLS estimator of the j'th selected coefficient in the selected model of type "matrix" and dimension 1x1
alpha	Integer for the desired significance level of the confidence interval
tn_mu	Integer for the mean of the truncated sampling distribution of the test statistic under the null hypothesis: for example, if you want to test beta_j=0, specify 0 for the mean
tn_sigma	Integer for the variance of the truncated sampling distribution of the test statistic

Value

L	lower bound
U	upper bound

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
n <- 100
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

# Select model
result <- fit_all_subset_linear_models(y, X, intercept=FALSE)
phat <- result$phat
X_M_phat <- result$X_M_phat
```

```

k <- result$k
R_M_phat <- result$R_M_phat
kappa_M_phat <- result$kappa_M_phat
R_M_k <- result$R_M_k
kappa_M_k <- result$kappa_M_k

# Estimate Sigma from residuals of full model
full_model <- lm(y ~ 0 + X)
sigma_hat <- sd(resid(full_model))
Sigma <- diag(n)*(sigma_hat)^2

# Construct test statistic
Construct_test <- construct_test_statistic(j = 5, X_M_phat, y, phat, Sigma, intercept=FALSE)
a <- Construct_test$a
b <- Construct_test$b
etaj <- Construct_test$etaj
etajTy <- Construct_test$etajTy

# Solve selection event
Solve <- solve_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat,k)
z_interval <- Solve$z_interval

# Post-selection confidence interval
tn_sigma <- sqrt((t(etaj)**Sigma)**etaj)
equal_tailed_interval(z_interval, etajTy, alpha = 0.05, tn_mu = 0, tn_sigma)

```

f

f

Description

Function used internally by `compute_ci_with_specified_interval` for calculating valid confidence intervals post-selection.

Arguments

<code>z_interval</code>	The intervals of type "list" where the OLS estimator gets selected: can be obtained from function "solve_selection_event"
<code>etajTy</code>	The OLS estimator of the j'th selected coefficient in the selected model of type "matrix" and dimension 1x1
<code>mu</code>	Integer for the mean of the truncated sampling distribution of the test statistic (updated iteratively in <code>compute_ci_with_specified_interval</code>)
<code>tn_sigma</code>	Integer for the variance of the truncated sampling distribution of the test statistic

Value

The cumulative distribution function of a truncated gaussian distribution evaluated in the observed test statistic

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

find_root	<i>Find root</i>
-----------	------------------

Description

This function is used internally by the function `compute_ci_with_specified_interval` for inverting post-selection p-values to confidence intervals.

Usage

```
find_root(z_interval, etajTy, tn_sigma, y, lb, ub, tol=1e-6)
```

Arguments

z_interval	The intervals of type "list" where the OLS estimator gets selected: can be obtained from function "solve_selection_event"
etajTy	The OLS estimator of the j'th selected coefficient in the selected model of type "matrix" and dimension 1x1
tn_sigma	Integer for the variance of the truncated sampling distribution of the test statistic
y	For example 1.0-0.5*alpha for finding the lower bound of a (1-alpha)% confidence interval, and 0.5*alpha for finding the upper bound of a (1-alpha)% confidence interval
lb	Lower bound in current iteration
ub	Upper bound in current iteration
tol	Tolerance parameter: default set to 1e-6

Value

Returns confidence interval bound

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

fit_all_subset_linear_models
<i>Fit all subset linear models</i>

Description

This function fits all possible combinations of linear models and returns the selected model based on adjusted R^2 .

Usage

```
fit_all_subset_linear_models(y, X, intercept)
```

Arguments

y	Response vector of type "matrix" and dimension $n \times 1$
X	Design matrix of type "matrix" and dimension $n \times p$
intercept	Logical value: TRUE if fitted models should contain intercept, FALSE if not

Value

k	Index set included in model k
best_model	The selected model fit (lm object)
phat	Index set included in the selected model
X_M_phat	The design matrix in the selected model
best_adj_r_squared	The adjusted R^2 value of the selected model
R_M_phat	The orthogonal projection matrix of the selected model
kappa_M_phat	Adjustment factor for model complexity kappa of the selected model
R_M_k	The orthogonal projection matrix of model k
kappa_M_k	Adjustment factor for model complexity kappa of model k

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
Data <- datagen.norm(seed = 7, n = 100, p = 3, rho = 0, beta_vec = c(1,0.5,0))
X <- Data$X
y <- Data$y

# Select model
fit_all_subset_linear_models(y, X, intercept=FALSE)
```

fit_specified_size_subset_linear_models
Fit all linear models of a specified size

Description

This function fits all possible combinations of a pre-specified size of linear models and returns the selected model based on adjusted R^2 .

Usage

```
fit_specified_size_subset_linear_models(y, X, size, intercept)
```

Arguments

y	Response vector of type "matrix" and dimension $n \times 1$
X	Design matrix of type "matrix" and dimension $n \times p$
size	Size of type "integer" of the fitted models
intercept	Logical value: TRUE if fitted models should contain intercept, FALSE if not

Value

k	Index set included in model k
best_model	The selected model fit (lm object)
phat	Index set included in the selected model
X_M_phat	The design matrix in the selected model
best_adj_r_squared	The adjusted R^2 value of the selected model
R_M_phat	The orthogonal projection matrix of the selected model
kappa_M_phat	Adjustment factor for model complexity kappa of the selected model
R_M_k	The orthogonal projection matrix of model k
kappa_M_k	Adjustment factor for model complexity kappa of model k

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
Data <- datagen.norm(seed = 7, n = 100, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

# Select model
fit_specified_size_subset_linear_models(y, X, size = 9, intercept=FALSE)
```

`pivot_with_specified_interval`
Pivot with specified interval

Description

This function returns the value of the cumulative distribution function of a truncated gaussian distribution evaluated in the observed test statistic. Its output is used by the function `postselp_value_specified_interval` by taking $2 \cdot \min(\text{output}, 1 - \text{output})$ for a p-value for a two-sided test.

Usage

```
pivot_with_specified_interval(z_interval, etaj, etajTy, tn_mu, tn_sigma)
```

Arguments

<code>z_interval</code>	The intervals of type "list" where the OLS estimator gets selected: can be obtained from function "solve_selection_event"
<code>etaj</code>	Vector of type "matrix" and dimension $n \times 1$: useful in orthogonal decomposition of y (see Lemma 1 for details)
<code>etajTy</code>	The OLS estimator of the j 'th selected coefficient in the selected model of type "matrix" and dimension 1×1
<code>tn_mu</code>	Integer for the mean of the truncated sampling distribution of the test statistic under the null hypothesis: for example, if you want to test $\beta_j = 0$, specify 0 for the mean
<code>tn_sigma</code>	Integer for the variance of the truncated sampling distribution of the test statistic

Value

The cumulative distribution function of a truncated gaussian distribution evaluated in the observed test statistic

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
n <- 100
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1, 0.5, 0, 0.5, 0, 0, 0, 0, 0, 0))
X <- Data$X
y <- Data$y

# Select model
result <- fit_all_subset_linear_models(y, X, intercept=FALSE)
phat <- result$phat
```

```

X_M_phat <- result$X_M_phat
k <- result$k
R_M_phat <- result$R_M_phat
kappa_M_phat <- result$kappa_M_phat
R_M_k <- result$R_M_k
kappa_M_k <- result$kappa_M_k

# Estimate Sigma from residuals of full model
full_model <- lm(y ~ 0 + X)
sigma_hat <- sd(resid(full_model))
Sigma <- diag(n)*(sigma_hat)^2

# Construct test statistic
Construct_test <- construct_test_statistic(j = 5, X_M_phat, y, phat, Sigma, intercept=FALSE)
a <- Construct_test$a
b <- Construct_test$b
etaj <- Construct_test$etaj
etajTy <- Construct_test$etajTy

# Solve selection event
Solve <- solve_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat,k)
z_interval <- Solve$z_interval

# Post-selection inference for beta_j=0
tn_sigma <- sqrt((t(etaj)%*%Sigma)%*%etaj)
pivot_with_specified_interval(z_interval, etaj, etajTy, tn_mu = 0, tn_sigma)

```

postselp_value_specified_interval

Post-selection p-value specified interval

Description

This function returns a p-value for the test whether the regression coefficient equals tn_mu (e.g. 0) with a two-sided alternative. The p-value is valid given the model selection, because it conditions on the specified intervals of the OLS estimator where the regression coefficient actually gets selected. The intervals contained in the object "z_interval" can be obtained from the function "solve_selection_event".

Usage

```
postselp_value_specified_interval(z_interval, etaj, etajTy, tn_mu, tn_sigma)
```

Arguments

z_interval	The intervals of type "list" where the OLS estimator gets selected: can be obtained from function "solve_selection_event"
etaj	Vector of type "matrix" and dimension $n \times 1$: useful in orthogonal decomposition of y (see Lemma 1 for details)

etajTy	The OLS estimator of the j 'th selected coefficient in the selected model of type "matrix" and dimension 1×1
tn_mu	Integer for the mean of the truncated sampling distribution of the test statistic under the null hypothesis: for example, if you want to test $\beta_j=0$, specify 0 for the mean
tn_sigma	Integer for the variance of the truncated sampling distribution of the test statistic

Value

p_value	The p-value for a two-sided test which is valid after model selection
---------	---

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
n <- 100
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

# Select model
result <- fit_all_subset_linear_models(y, X, intercept=FALSE)
phat <- result$phat
X_M_phat <- result$X_M_phat
k <- result$k
R_M_phat <- result$R_M_phat
kappa_M_phat <- result$kappa_M_phat
R_M_k <- result$R_M_k
kappa_M_k <- result$kappa_M_k

# Estimate Sigma from residuals of full model
full_model <- lm(y ~ 0 + X)
sigma_hat <- sd(resid(full_model))
Sigma <- diag(n)*(sigma_hat)^2

# Construct test statistic
Construct_test <- construct_test_statistic(j = 5, X_M_phat, y, phat, Sigma, intercept=FALSE)
a <- Construct_test$a
b <- Construct_test$b
etaj <- Construct_test$etaj
etajTy <- Construct_test$etajTy

# Solve selection event
Solve <- solve_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat,k)
z_interval <- Solve$z_interval

# Post-selection inference for beta_j=0
tn_sigma <- sqrt((t(etaj)%*%Sigma)%*%etaj)
postselp_value_specified_interval(z_interval, etaj, etajTy, tn_mu = 0, tn_sigma)
```

selective_inference	<i>Selective inference</i>
---------------------	----------------------------

Description

This function conducts selective inference for selected models by adjusted R squared. Selective p-values (and optionally, selective confidence intervals) are calculated.

Usage

```
selective_inference(y, X, intercept, model_set, alpha, confidence_interval, size)
```

Arguments

y	Response vector of type "matrix" and dimension nx1
X	The full model design matrix
intercept	Logical value: TRUE if the selected model contains an intercept, FALSE if not
model_set	Can take values "fit_all_subset_linear_models" and "fit_specified_size_subset_linear_models". For selection out of all possible subset of the full model, choose option "fit_all_subset_linear_models". For selection from models of a specified size, choose option "fit_specified_size_subset_linear_models".
alpha	The significance level: number between 0 and 1. For example, for 95% confidence intervals, choose alpha=0.05.
confidence_interval	Logical value: TRUE if selective confidence intervals should be calculated, FALSE if not
size	Integer for specified size of selected model (number of coefficients). Use if model_set is "fit_specified_size_subset_linear_models".

Value

selected_model	The indices of the selected columns of X.
coefficients	The estimated coefficients in the selected model.
standard_errors	The standard errors of the coefficients in the selected model.
p_values	The selective p-values for tests whether the selected coefficients are 0 with two-sided alternatives.
confidence_intervals	The selective confidence intervals for the coefficients in the selected model.
summary	A summary table.

Author(s)

Sarah Pirene and Gerda Claeskens.

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate example data
Data <- datagen.norm(seed = 7, n = 100, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

selective_inference(y, X, intercept=FALSE, model_set = "fit_all_subset_linear_models",
  alpha=0.05, confidence_interval=TRUE)

# $summary
# Variable Coefficient Std_Error P_Value CI_Lower CI_Upper
# 1      1  1.2550561 0.10171810 0.000000000 1.00651134 1.4543199
# 2      2  0.3710123 0.10468937 0.322730857 -0.04019441 0.5530123
# 3      4  0.3291952 0.09248687 0.001782217 0.12471371 0.5104508
# 4      5 -0.1234033 0.10508632 0.841042743 -0.23945366 0.1111173
# 5      8  0.1358987 0.09710654 0.548071861 -0.08495766 0.3009992
# 6     10  0.1196511 0.09917412 0.997850742 -0.10880178 0.2263758
```

solve_selection_event *Solve selection event*

Description

This function solves the selection event by calculating the intervals of the OLS estimator where the regression coefficient actually gets selected.

Usage

```
solve_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat,k)
```

Arguments

a	Residual vector of type "matrix" and dimension nx1 (see Lemma 1 for details)
b	Vector of type "matrix" and dimension nx1: useful in orthogonal decomposition of y (see Lemma 1 for details)
R_M_k	The orthogonal projection matrix of model k
kappa_M_k	Adjustment factor for model complexity kappa of model k
R_M_phat	The orthogonal projection matrix of the selected model
kappa_M_phat	Adjustment factor for model complexity kappa of the selected model
k	Index set included in model k

Value

`intervals_list` The intervals of the OLS estimator for which the inequality in Lemma 1 holds

`z_interval` The intersection of the intervals of the OLS estimator for which the inequality in Lemma 1 holds: post-selection inference is conditioned on those intervals

Note

This function will give the error message: "Error in if (D >= 0.001): missing value where TRUE/FALSE needed" if it is run for a coefficient which is not part of the selected model. Only run `solve_selection_event` for selected indices.

References

Pirenne, S. and Claeskens, G. (2024). Exact Post-Selection Inference for Adjusted R Squared.

Examples

```
# Generate data
n <- 100
Data <- datagen.norm(seed = 7, n, p = 10, rho = 0, beta_vec = c(1,0.5,0,0.5,0,0,0,0,0,0))
X <- Data$X
y <- Data$y

# Select model
result <- fit_all_subset_linear_models(y, X, intercept=FALSE)
phat <- result$phat
X_M_phat <- result$X_M_phat
k <- result$k
R_M_phat <- result$R_M_phat
kappa_M_phat <- result$kappa_M_phat
R_M_k <- result$R_M_k
kappa_M_k <- result$kappa_M_k

# Estimate Sigma from residuals of full model
full_model <- lm(y ~ 0 + X)
sigma_hat <- sd(resid(full_model))
Sigma <- diag(n)*(sigma_hat)^2

# Construct test statistic
Construct_test <- construct_test_statistic(j = 5, X_M_phat, y, phat, Sigma, intercept=FALSE)
a <- Construct_test$a
b <- Construct_test$b

# Solve selection event
solve_selection_event(a,b,R_M_k,kappa_M_k,R_M_phat,kappa_M_phat,k)
```

Index

* adjusted R squared

- compute_ci_with_specified_interval,
2
- construct_adj_r_squared, 3
- construct_selection_event, 4
- construct_test_statistic, 5
- equal_tailed_interval, 8
- f, 9
- find_root, 10
- fit_all_subset_linear_models, 11
- fit_specified_size_subset_linear_models,
12
- pivot_with_specified_interval, 13
- postselp_value_specified_interval,
14
- selective_inference, 16
- solve_selection_event, 17

* datagen

- datagen.norm, 6
- datagen.norm.intercept, 7

* htest

- compute_ci_with_specified_interval,
2
- construct_adj_r_squared, 3
- construct_selection_event, 4
- construct_test_statistic, 5
- equal_tailed_interval, 8
- f, 9
- find_root, 10
- pivot_with_specified_interval, 13
- postselp_value_specified_interval,
14
- solve_selection_event, 17

* model selection

- compute_ci_with_specified_interval,
2
- construct_adj_r_squared, 3
- construct_selection_event, 4
- construct_test_statistic, 5

- equal_tailed_interval, 8
- f, 9
- find_root, 10
- fit_all_subset_linear_models, 11
- fit_specified_size_subset_linear_models,
12
- pivot_with_specified_interval, 13
- postselp_value_specified_interval,
14
- selective_inference, 16
- solve_selection_event, 17

* models

- compute_ci_with_specified_interval,
2
- construct_adj_r_squared, 3
- construct_selection_event, 4
- construct_test_statistic, 5
- datagen.norm, 6
- datagen.norm.intercept, 7
- equal_tailed_interval, 8
- f, 9
- find_root, 10
- fit_all_subset_linear_models, 11
- fit_specified_size_subset_linear_models,
12
- pivot_with_specified_interval, 13
- postselp_value_specified_interval,
14
- selective_inference, 16
- solve_selection_event, 17

* post-selection inference

- compute_ci_with_specified_interval,
2
- construct_adj_r_squared, 3
- construct_selection_event, 4
- construct_test_statistic, 5
- equal_tailed_interval, 8
- f, 9
- find_root, 10

- [pivot_with_specified_interval](#), [13](#)
 - [postselp_value_specified_interval](#),
[14](#)
 - [selective_inference](#), [16](#)
 - [solve_selection_event](#), [17](#)
- * **regression**
 - [compute_ci_with_specified_interval](#),
[2](#)
 - [construct_adj_r_squared](#), [3](#)
 - [construct_selection_event](#), [4](#)
 - [construct_test_statistic](#), [5](#)
 - [datagen.norm](#), [6](#)
 - [datagen.norm.intercept](#), [7](#)
 - [equal_tailed_interval](#), [8](#)
 - [f](#), [9](#)
 - [find_root](#), [10](#)
 - [fit_all_subset_linear_models](#), [11](#)
 - [fit_specified_size_subset_linear_models](#),
[12](#)
 - [pivot_with_specified_interval](#), [13](#)
 - [postselp_value_specified_interval](#),
[14](#)
 - [selective_inference](#), [16](#)
 - [solve_selection_event](#), [17](#)
- [compute_ci_with_specified_interval](#), [2](#)
- [construct_adj_r_squared](#), [3](#)
- [construct_selection_event](#), [4](#)
- [construct_test_statistic](#), [5](#)
- [datagen.norm](#), [6](#)
- [datagen.norm.intercept](#), [7](#)
- [equal_tailed_interval](#), [8](#)
- [f](#), [9](#)
- [find_root](#), [10](#)
- [fit_all_subset_linear_models](#), [11](#)
- [fit_specified_size_subset_linear_models](#),
[12](#)
- [pivot_with_specified_interval](#), [13](#)
- [postselp_value_specified_interval](#), [14](#)
- [selective_inference](#), [16](#)
- [solve_selection_event](#), [17](#)