

Package ‘scriptuRs’

October 14, 2022

Type Package

Title Complete Text of the LDS Scriptures

Version 0.1.0

Description Full text, in data frames containing one row per verse, of the Standard Works of The Church of Jesus Christ of Latter-day Saints (LDS). These are the Old Testament, (KJV), the New Testament (KJV), the Book of Mormon, the Doctrine and Covenants, and the Pearl of Great Price.

URL <https://github.com/andrewheiss/scriptuRs>

BugReports <https://github.com/andrewheiss/scriptuRs/issues>

Depends R (>= 3.0.0)

Suggests dplyr, testthat

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

NeedsCompilation no

Author Andrew Heiss [aut, cre]

Maintainer Andrew Heiss <andrew@andrewheiss.com>

Repository CRAN

Date/Publication 2019-01-09 17:20:03 UTC

R topics documented:

| | |
|----------------------------------|----|
| book_of_mormon | 2 |
| doctrine_and_covenants | 3 |
| kjv_bible | 4 |
| lds_scriptures | 5 |
| new_testament | 7 |
| old_testament | 8 |
| pearl_of_great_price | 9 |
| scriptuRs | 10 |

Index**11**

| | |
|----------------|---------------------------------------|
| book_of_mormon | <i>The text of the Book of Mormon</i> |
|----------------|---------------------------------------|

Description

A dataset containing the text of the Book of Mormon.

Usage

book_of_mormon

Format

A data frame with 6604 rows and 19 columns:

volume_id Unique id number for the volume

book_id Unique id number for the book

chapter_id Unique id number for the chapter

verse_id Unique id number for the verse

volume_title Name of the volume

book_title Name of the book

volume_long_title Full name of the volume

book_long_title Full name of the book

volume_subtitle Subtitle of the volume

book_subtitle Subtitle of the book

volume_short_title Volume abbreviation

book_short_title Book abbreviation

volume_lds_url Volume abbreviation used at scriptures.lds.org

book_lds_url Book abbreviation used at scriptures.lds.org

chapter_number Chapter

verse_number Verse

text Scripture text

verse_title Combined book, chapter, and verse (e.g. 1 Nephi 1:1)

verse_short_title Abbreviated combined book, chapter, and verse (e.g. 1 Ne. 1:1)

Details

Excludes the following:

- Book of Mormon: Title Page (written by Moroni)
- Introduction
- The Testimony of the Three Witnesses
- The Testimony of Eight Witnesses
- Testimony of the Prophet Joseph Smith
- A Brief Explanation About the Book of Mormon

Source

<http://scriptures.nephi.org/>

doctrine_and_covenants

The text of the Doctrine and Covenants

Description

A dataset containing the text of the Doctrine and Covenants.

Usage

doctrine_and_covenants

Format

A data frame with 3654 rows and 19 columns:

volume_id Unique id number for the volume
book_id Unique id number for the book
chapter_id Unique id number for the chapter
verse_id Unique id number for the verse
volume_title Name of the volume
book_title Name of the book
volume_long_title Full name of the volume
book_long_title Full name of the book
volume_subtitle Subtitle of the volume
book_subtitle Subtitle of the book
volume_short_title Volume abbreviation
book_short_title Book abbreviation

volume_lds_url Volume abbreviation used at scriptures.lds.org
 book_lds_url Book abbreviation used at scriptures.lds.org
 chapter_number Chapter
 verse_number Verse
 text Scripture text
 verse_title Combined book, chapter, and verse (e.g. Doctrine and Covenants 1:1)
 verse_short_title Abbreviated combined book, chapter, and verse (e.g. D&C 1:1)

Details

Excludes the following:

- Official Declaration 1
- Official Declaration 2

Source

<http://scriptures.nephi.org/>

kjb_bible

Tidy data frame of the King James Version of the Bible

Description

Returns a tidy data frame of the King James Version of the Bible, with one verse for every row. There are several columns, including: `text`, which contains the text of each verse, `book_title`, the book of scripture, `chapter_number`, the chapter, and `verse_number`, the verse number. There are a dozen other columns as well: see "Details" for complete descriptions.

Usage

```
kjb_bible()
```

Details

Importantly, none of the title columns are ordered factors. It is the responsibility of the user to create ordered factors of book and volume titles when plotting results.

Every row in the dataset is a verse, and there are 19 columns of metadata:

`volume_id` Unique id number for the volume (1 = Old Testament, 2 = New Testament, etc.)
`book_id` Unique id number for the book (1 = Genesis, 2 = Exodus, etc.)
`chapter_id` Unique id number for the chapter (50 = Genesis 50, 51 = Exodus 1, etc.)
`verse_id` Unique id number for the verse (31 = Genesis 1:31, 32 = Genesis 2:1)
`volume_title` Name of the volume

book_title Name of the book
 volume_long_title Full name of the volume
 book_long_title Full name of the book
 volume_subtitle Subtitle of the volume
 book_subtitle Subtitle of the book
 volume_short_title Volume abbreviation
 book_short_title Book abbreviation
 volume_lds_url Volume abbreviation used at scriptures.lds.org
 book_lds_url Book abbreviation used at scriptures.lds.org
 chapter_number Chapter (not unique; Genesis 50 = 50, Exodus 1 = 1, etc.)
 verse_number Verse (not unique; Genesis 1:31 = 31, Genesis 2:1 = 1)
 text Scripture text
 verse_title Combined book, chapter, and verse (e.g. Genesis 1:1)
 verse_short_title Abbreviated combined book, chapter, and verse (e.g. Gen. 1:1)

Value

A data frame with 31102 rows and 19 columns

Examples

```

library(dplyr)

kjb_bible() %>%
  group_by(volume_title, book_title) %>%
  summarise(total_verses = n())

```

| | |
|----------------|--|
| lds_scriptures | <i>Tidy data frame of the LDS scriptures</i> |
|----------------|--|

Description

Returns a tidy data frame of the Standard Works of The Church of Jesus Christ of Latter-day Saints (LDS) (King James Bible, Book of Mormon, Doctrine and Covenants, and the Pearl of Great Price), with one verse for every row. There are several columns, including: `text`, which contains the text of each verse, `book_title`, the book of scripture, `chapter_number`, the chapter, and `verse_number`, the verse number. There are a dozen other columns as well: see "Details" for complete descriptions.

Usage

```
lds_scriptures()
```

Details

Importantly, none of the title columns are ordered factors. It is the responsibility of the user to create ordered factors of book and volume titles when plotting results.

Every row in the dataset is a verse, and there are 19 columns of metadata:

volume_id Unique id number for the volume (1 = Old Testament, 2 = New Testament, etc.)

book_id Unique id number for the book (1 = Genesis, 2 = Exodus, etc.)

chapter_id Unique id number for the chapter (50 = Genesis 50, 51 = Exodus 1, etc.)

verse_id Unique id number for the verse (31 = Genesis 1:31, 32 = Genesis 2:1)

volume_title Name of the volume

book_title Name of the book

volume_long_title Full name of the volume

book_long_title Full name of the book

volume_subtitle Subtitle of the volume

book_subtitle Subtitle of the book

volume_short_title Volume abbreviation

book_short_title Book abbreviation

volume_lds_url Volume abbreviation used at scriptures.lds.org

book_lds_url Book abbreviation used at scriptures.lds.org

chapter_number Chapter (not unique; Genesis 50 = 50, Exodus 1 = 1, etc.)

verse_number Verse (not unique; Genesis 1:31 = 31, Genesis 2:1 = 1)

text Scripture text

verse_title Combined book, chapter, and verse (e.g. Genesis 1:1)

verse_short_title Abbreviated combined book, chapter, and verse (e.g. Gen. 1:1)

Value

A data frame with 41995 rows and 19 columns

Examples

```
library(dplyr)

lds_scriptures() %>%
  group_by(volume_title, book_title) %>%
  summarise(total_verses = n())
```

| | |
|---------------|---|
| new_testament | <i>The text of the New Testament (King James Version)</i> |
|---------------|---|

Description

A dataset containing the text of the King James Version of the New Testament.

Usage

new_testament

Format

A data frame with 7957 rows and 19 columns:

volume_id Unique id number for the volume

book_id Unique id number for the book

chapter_id Unique id number for the chapter

verse_id Unique id number for the verse

volume_title Name of the volume

book_title Name of the book

volume_long_title Full name of the volume

book_long_title Full name of the book

volume_subtitle Subtitle of the volume

book_subtitle Subtitle of the book

volume_short_title Volume abbreviation

book_short_title Book abbreviation

volume_lds_url Volume abbreviation used at scriptures.lds.org

book_lds_url Book abbreviation used at scriptures.lds.org

chapter_number Chapter

verse_number Verse

text Scripture text

verse_title Combined book, chapter, and verse (e.g. Matthew 1:1)

verse_short_title Abbreviated combined book, chapter, and verse (e.g. Matt. 1:1)

Source

<http://scriptures.nephi.org/>

| | |
|---------------|---|
| old_testament | <i>The text of the Old Testament (King James Version)</i> |
|---------------|---|

Description

A dataset containing the text of the King James Version of the Old Testament.

Usage

old_testament

Format

A data frame with 23145 rows and 19 columns:

volume_id Unique id number for the volume
 book_id Unique id number for the book
 chapter_id Unique id number for the chapter
 verse_id Unique id number for the verse
 volume_title Name of the volume
 book_title Name of the book
 volume_long_title Full name of the volume
 book_long_title Full name of the book
 volume_subtitle Subtitle of the volume
 book_subtitle Subtitle of the book
 volume_short_title Volume abbreviation
 book_short_title Book abbreviation
 volume_lds_url Volume abbreviation used at scriptures.lds.org
 book_lds_url Book abbreviation used at scriptures.lds.org
 chapter_number Chapter
 verse_number Verse
 text Scripture text
 verse_title Combined book, chapter, and verse (e.g. Genesis 1:1)
 verse_short_title Abbreviated combined book, chapter, and verse (e.g. Gen. 1:1)

Details

Excludes the following:

- Epistle Dedicatory

Source

<http://scriptures.nephi.org/>

pearl_of_great_price *The text of the Pearl of Great Price*

Description

A dataset containing the text of the Pearl of Great Price.

Usage

pearl_of_great_price

Format

A data frame with 635 rows and 19 columns:

volume_id Unique id number for the volume

book_id Unique id number for the book

chapter_id Unique id number for the chapter

verse_id Unique id number for the verse

volume_title Name of the volume

book_title Name of the book

volume_long_title Full name of the volume

book_long_title Full name of the book

volume_subtitle Subtitle of the volume

book_subtitle Subtitle of the book

volume_short_title Volume abbreviation

book_short_title Book abbreviation

volume_lds_url Volume abbreviation used at scriptures.lds.org

book_lds_url Book abbreviation used at scriptures.lds.org

chapter_number Chapter

verse_number Verse

text Scripture text

verse_title Combined book, chapter, and verse (e.g. Abraham 1:1)

verse_short_title Abbreviated combined book, chapter, and verse (e.g. Abr. 1:1)

Details

Excludes the following:

- Introductory Note
- Oliver Cowdery's account

Source

<http://scriptures.nephi.org/>

scriptuRs

The Standard Works of The Church of Jesus Christ of Latter-day Saints

Description

This package contains the complete text of the Standard Works of The Church of Jesus Christ of Latter-day Saints (LDS), including the King James Bible (Old and New Testaments), the Book of Mormon, the Doctrine and Covenants, and the Pearl of Great Price, formatted to be convenient for text analysis.

Index

* datasets

- book_of_mormon, [2](#)
 - doctrine_and_covenants, [3](#)
 - new_testament, [7](#)
 - old_testament, [8](#)
 - pearl_of_great_price, [9](#)
- book_of_mormon, [2](#)
- doctrine_and_covenants, [3](#)
- kjv_bible, [4](#)
- lds_scriptures, [5](#)
- new_testament, [7](#)
- old_testament, [8](#)
- pearl_of_great_price, [9](#)
- scriptuRs, [10](#)
- scriptuRs-package (scriptuRs), [10](#)